CONTENTS - VOLUME XVI, 1990

No. 1

Effect of pirazolac on prostanoid synthesis by human gastric mucosa *in vitro*
TAVARES I.A., BENNETT A. 1

The pharmacokinetics of pirazolac in human subjects
TÄUBER U. 7

Multicentre double-blind study of the efficacy, safety and tolerance of pirazolac compared with sulindac in patients with rheumatoid arthritis
NUMO R. 17

A 12-week double-blind study of the efficacy, safety and tolerance of pirazolac b.i.d. compared with indomethacin t.i.d. in patients with ankylosing spondylitis
CARCASSI C., LA NASA G., PERPIGNANO G. 29

Neutrophil functional and arachidonic acid metabolic correlates and clinical disease activity in pirazolac-treated rheumatoid arthritis patients
TURNER R.A., JOHNSON J.A., TURNER S.R., McGEE M. KASHANIAN F. 39

No. 2

Distribution of [^{14}C]meloxicam in joints of rats with adjuvant arthritis
BUSCH U., ENGELHARDT G. 49

Biological activity of the main metabolities of meloxicam
ENGELHARDT G., TRUMMLITZ G. 53

The effect of concomitantly administered antacids on the bioavailability of lornoxicam, a novel highly potent NSAID
DITTRICH P., RADHOFER-WELTE S., MAGOMETSCHNIGG D., KUKOVETZ W.R., MAYERHOFER S., FERBER H.P. 57

Profile of activity of a new anti-inflammatory agent, ST 679 (MED 15)
ARRIGONI-MARTELLI E. 63

Short-term effects of diethylaminoethyl-dextran on postprandial gastrointestinal hormone responses in man
SOLDANI G., DELLA LONGA A., MENGOZZI G., DEMI S., INTORRE L., MARTELLI F. 67

Peptic disease in paediatric patients: A diagnostic and therapeutic contribution
DEGANELLO A., TAMASSIA G., GABURRO D. 75

Investigations on the binding properties of the nootropic agent pyroglutamic acid
BARONE D., SPIGNOLI G. 85

Evaluation of the effects of L-acetylcarnitine on senile patients suffering from depression
GARZYA G., CORALLO D., FIORE A., LECCISO G., PETRELLI G., ZOTTI C. 101

No. 3

Beta-adrenergic receptors: Structure, function and regulation
DE BLASI A. 107

Beta-blockers and primary cardioprotection in hypertension
FOGARI R., ZOPPI A. 113

Cardioprotection by beta-blockers: Molecular and structural aspects in experimental hypertension
PAULETTO P., VESCOVO G., SCANNAPIECO G., PESSINA A.C., DAL PALU C. 123

Primary protection with beta-blockers in the treatment of hypertension
COOPE JOHN 129

Reduced total mortality and death from myocardial infarction and stroke in moderate/severe hypertensives treated with 'Tenormin' (atenolol)
CRUICKSHANK J.M. 133

No. 4

Pharmacological profile of SK&F 105809, a dual inhibitor of arachidonic acid metabolism.
HANNA N., MARSHALL P.J., NEWTON J. Jr., SCHWARTZ L., KIRSH R., DIMARTINO M.J., ADAMS J., BENDER P., GRISWOLD D.E. 137

An automated pulse labelling method for structure–activity relationship studies with antibacterial oxazolidinones.
EUSTICE D.C., BRITTELLI D.R., FELDMAN P.A., BROWN L.J., BORKOWSKI J.J., SLEE A.M. 149

In vitro antimicrobial activity of a novel aminothiazolylglycylcephalosporin, MT0703S, compared with that of ceftazidime, cefoperazone and aztreonam.
OKAMOTO R., HARA T., YOSHIDA T., ORIKASA Y., OGINO H., IWAMATSU K., INOUYE S. 157

Pharmacokinetics and clinical effects of atenolol in therapy of hyperthyroidism.
GEFFNER D.L., SLADEK J., HERSHMAN J.M. 167

In vitro activity of cefixime: correlation index between MIC and disc diffusion test.
FOCÀ A., LIBERTO M.C., BERLINGHIERI M.C., MATERA G., PUCCIO R., CARBONE M., FERA M.T. 175

Antimicrobial activity of a new derivative: *N*-(4-chlorobenzyl)-2-(1*H*-imidazol-1-ylmethyl)benzenamine.
PANICO S., VILLA A., SIMONETTI N., PORRETTA G.C., SCALZO M. 181

Effect of amrinone in the working rat heart: influence of ischaemic damage, adenosine and calcium.
ZUCCHI R., PODDIGHE R., MARIANI M., RONCA G. 187

Effects of a novel Hungarian antacid containing Al and Mg (Tisacid®) on mucosal prostaglandin generation and oxygen free radicals in normal rats.
NAGY L., MÓZSIK GY., VINCZE Á., SÜTÖ G., HUNYADY B., RINFEL J., PAST T., JÁVOR T. 197

No. 5

The worldwide problem of methicillin-resistant *Staphylococus aureus*.
BRUMFITT W., HAMILTON-MILLER J.M.T. 205

Structure–activity relationship of quinolone antibacterial agents: the effects of C-2 substitution.
CHU D.T.W., LICO I.M., CLAIBORNE A.K., PLATTNER J.J., PERNET A.G. 215

Effects of the optical isomers of a novel 5-HT_2 antagonist and (−)-Bay K 8644 on spontaneous mechanical activity in rat portal veins.
MIKKELSEN E.O., NIELSEN T.J. 225

Post-antibiotic effect of isepamicin compared ared to that of other aminoglycosides.
MINGUEZ F., AGRA M., LURUEÑA S., RAMOS C., PRIETO J. 231

In vitro antimicrobial activity of econzaole and miconazole sulfosalicylate.
STRIPPOLI V., D'AURIA F.D., SIMONETTI N. 237

Pharmacokinetic evaluation of conventional and controlled-release product of naproxen.
PALAZZINI E., GALLI G., BABBINI M. 243

No. 6

Inhibition of tyrosine kinase and epidermal growth factor receptor internalization by lavendustin A methyl ester in cultured A431 cells.
ONODA T., ISSHIKI K., TAKEUCHI T., TATSUTA K., UMEZAWA K. 249

Mutagenicity studies on dihydroergocristine.
DUBINI F., BIGNAMI P., ZANOTTI A., COPPI G. 255

Pharmacological and toxicological activities of a new methylxanthine derivative [7-(1,3-dithiolan-2-ylmethyl)1,3-dimethylxanthine] with antibronchospastic and mucoregulatory properties.
FRANZONE J.S., REBOANI M.C., BIGLIONE V., CIRILLO R. 263

In vivo anti-inflammatory activity of 7-(1,3-dithiolan-2-ylmethyl)-1,3-dimethylxanthine.
REBOANI M.C., FRANZONE J.S. 277

Kinetic and metabolic studies of 7-(1,3-dithiolan-2-ylmethyl)-1,3-dimethylxanthine in the rat.
CRAVANZOLA C., GROSA G., FRANZONE J.S. 285

Clinical evaluation of the imipenem/cilastatin combination in the therapy of severe infections in patients with malignant diseases.
CRISTIANO P., IOVENE M.R., SIMIOLI F., PEZZA M., RAUCCI G., LOBELLO R. 293

Effects of enalapril in normotensive patients with stable effort angina: a double blind, placebo controlled study.
LAI C., ONNIS E., ORANI E., PIRISI R., SORO A., CHERCHI A. 299

Pharmacokinetics of terlipressin after single i.v. doses to healthy volunteers.
NILSSON G., LINDBLOM P., OHLIN M., BERLING R., VERNERSSON E. 307

Cardiac and circulatory response to the intravenous administration of urapidil during general anaesthesia.
FONTANA F., ALLARIA B., BRUNETTI B., ARIENTA R., FAVARO M., TRIVELLATO A., RUSCONI M.G. 315

No. 7

Therapeutic potential of phosphonylmethoxyalkylpurines and-pyrimidines as antiviral agents.
DE CLERCQ E. 319

Treatment of cryptococcal meningitis with five anti-fungal drugs: the role of amphotericin B.
SHINDO K. 327

Comparison of anti-anaemic effects of iron protein succinylate (ITF 282) and ferrous sulfate in the rat.
CARAMAZZA I., ANDRIUOLI G., SCAGNOL I., DEL SOLDATO P. 333

Theoretical investigations on the structure and potential binding sites of antineoplaston A10 and experimental findings.
MICHALSKA D. 343

Pharmacokinetic study of radioactive antineoplaston A10 in rats and mice.
XU W., WANG H., YUAN Y. 351

Studies of the release rate and bioavailability of antineoplaston A10 capsule.
WANG H., XU W., YUAN Y. 357

Treatment of hormonally refractory cancer of the prostate with antineoplaston AS2–1.
BURZYNSKI S.R., KUBOVE E., BURZYNSKI B. 361

Double blind comparison of zolpidem 20 mg versus flunitrazepam 2 mg in insomniac in-patients.
FRATTOLA L., MAGGIONI M., CESANA B., PRIORE P. 371

No. 8

Ramoplanin versus methicillin-resistant *staphylococcus aureus: in vitro* experience.
BRUMFITT W., MAPLE P.A.C., HAMILTON-MILLER J.M.T. 377

Comparison of the target sites and mechanisms of action of glycopeptide and lipoglycodepsipeptide antibiotics.
REYNOLDS P.E., SOMNER E.A. 385

High-level resistance to aminoglycosides in enterococci; incidence and alternative active antibiotic combinations *in vitro*.
STEFANI S., D'AMICO G., MEZZATESTA M.L., LO TAURO R., PELLEGRINO M.B., NICOLETTI G. 391

Nasal carriage of MRSA: the role of mupirocin and outlook for resistance.
HILL R.L.R., CASEWELL M.W. 397

Efficacy of dactimicin plus clindamycin compared with gentamicin plus clindamycin in the treatment of experimental intra-abdominal infections in rats.
NORD C.E., LAHNBORG G. 403

Biliary elimination and hepatic disposition of a new fluoroquinolone, temafloxacin: experimental evaluation.
BROGARD J.M., KOECHLIN C., WESTPHAL J.F., BLICKLÉ J.F., DORNER M., JEHL F. 407

Antibiotic susceptibility of periurethral anaerobic microflora in healthy girls.
LIDEFELT K.-J., BOLLGREN I., WIMAN A., NORD C.E. 417

Topical antibiotic therapy: current status and future prospects.
EADY E.A., COVE J.H. 423

No. 9

Synthesis and biological properties of A-71497: a prodrug of tosufloxacin.
CHU D.T.W., LICO I.M., SWANSON R.N., MARSH K.C., PLATTNER J.J., PERNET A.G. 435

Antimicrobial activity of E-4441, a representative azetidine quinolone.
ESTEVE M., MOROS M., COLL R., XICOTA M.A., LLOVERA S. 445

Ramoplanin: a review of its discovery and its chemistry.
PARENTI F., CIABATTI R., CAVALLERI B., KETTENRING J. 451

In vitro activity of ramoplanin on staphylococci.
FRANCIS J., WEBSTER H., NEWSOM S.W.B. 457

Pharmacology of cefminox, a new bactericidal cephamycin.
WATANABE S., OMOTO S. 461

In vivo activity of sertaconazole in experimental candidiasis in the mouse.
PALACIN C., SACRISTÁN A., ORTIZ J.A. 469

Drug interaction between cyclosporin A and nizatidine in Sprague-Dawley rats.
FILINGERI V., ROSATI R., GIACOMELLI R., FAMULARO G., IACONA A., CERVELLI V., DAVOLI E., TONIETTI G., CASCIANI C.U. 475

Weakening effect of famotidine, but not of nizatidine, on the mucus–bicarbonate barrier of the human stomach.
GUSLANDI M., BATTAGLIA A., PAMPARANA F., PASSARETTI S., PELLEGRINI A., TITTOBELLO A. . 481

The pharmacology of the anorexic effect of phenylpropanolamine.
WELLMAN P.J. 487

No. 10

Clinical experience with halofantrine in the treatment of malaria.
HORTON R.J., PARR S.N., BOKOR L.C. 497

Paciforgine: a new macrolide antifungicidal isolated from Paciforgia sp-2.
PEREZ G.R.M., PEREZ G.S. 505

Susceptibility of several species of Candida and Torulopsis to fluconazole and ketoconazole.
MALLIÉ M., MONTÉS B., REYNES J., BASTIDE J.-M. 509

In vitro activity of oral cephalosporin Bay v 3522 compared with other oral cephalosporins.
LOCHER R., STRÄSSLE A., KAYSER F.H. 515

Protective action of propionyl-l-carnitine on toxicity induced by hyperbaric oxygen.
BERTELLI A., GIOVANNINI L., MIAN M., SPAGGIARI P.G. 527

Toxicity of disodium sebacate.
GRECO A.V., MINGRONE G., ARCIERI MASTROMATTEI E., FINOTTI E., CASTAGNETO M. 531

Immunomodulatory effects of two extracts of Panax ginseng C.A. Meyer.
SCAGLIONE F., FERRARA F., DUGNANI S., FALCHI M., SANTORO G., FRASCHINI F. 537

Double-blind controlled study of the efficacy and pharmacological properties of heparan sulfate in patients with occlusive arterial disease of the lower limbs.
STRANO A., PINTO A., GALATI D. 543

No. 11

Potential of bifonazole for direct lethal action.
BEGGS W.H. 543

CTX and its desacetyl derivative (des-CTX): interaction with some representative β-lactamases and their related pattern of resistance to newer selected clinical isolates.
AMICOSANTE G., PERILLI M., FELICI A., SEGATORE B., FRANCESCHINI N., BASANI F., DI GIROLAMO M., ORATORE A. 549

Comparative post-antibiotic effect of five antibiotics against ten aerobic Gram-positive cocci.
DRABU Y.J., BLAKEMORE P.H. 557

In vitro antibacterial activity of cefotaxime and desacetylcefotaxime, alone or in combination, against Gram-positive cocci.
CRUCIANI M., NAVARRA A., DI PERRI G., DANZI M.C., CONCIA E., BASSETTI D. 565

Do salicylates and ascorbate increase the outer membrane permeability to hydrophobic antibiotics in *Pseudomonas aeruginosa*?
VAARA M. 569

Pharmacokinetic study of neostigmine after intranasal and intravenous administration in the guinea pig.
FOSSATI A., VIMERCATI M.G., BANDI G.L., FORMENTI A. 575

Efficacy of captopril before thrombolysis in acute myocardial infarction: preliminary findings.
DI PASQUALE P., BARONE G., PATERNA S., CANNIZZARO S., GIUBILATO A. 581

Efficacy of topical oxatomide in women with pruritus vulvae.
ORIGONI M., GARSIA S., SIDERI M., PIFAROTTI G., NICORA M. 591

No. 12

Quantitative effect of roxithromycin and rifampicin on mucoid cultures from directly plated sputum of cystic fibrosis patients chronically colonized with *Pseudomonas aeruginosa*
DUPONT M.-J, LAPOINTE J.-R. 597

Ceftriaxone *versus* chloramphenicol in the treatment of enteric fever
GIRGIS N.I., KILPATRICK M.E., FARID Z., MIKHAIL I.A., BISHAY E. 607

Correlation between disc potency and zone size in temafloxacin activity *in vitro*
REGGIO S., BASSANETTI I., CERALLI M., GIARDINI R., SANSONETTI G. 611

Post-antibiotic effect of azithromycin on respiratory tract pathogens
DEBBIA E.A., MOLINARI G., PAGLIA P., SCHITO G.C. 615

Concentration-dependent bacterial killing, adaptive resistance and post-antibiotic effect of ciprofloxacin alone and in combination with gentamicin
GOULD I.M., MILNE K., JASON C. 621

Antibacterial activity of combined cefotaxime and desacetyl-cefotaxime against aerobic and anaerobic Gram-negative bacilli
MARONE P., NAVARRA A., MONZILLO V., TRAVERSO A. 629

Peripheral red blood cell survival invariance during pefloxacin treatment in subjects with glucose-6-phosphate dehydrogenase deficiency
PERPIGNANO G., MELA Q., RUGGIERO V., PITZUS F. 635

Streptococcal pharyngitis in Italian children: Epidemiology and treatment with miocamycin
PRINCIPI N., MARCHISIO P., CALANCHI A., ONORATO J., PLEBANI A., REALI E., RANCILIO L., GRASSO E., MAGNI L., CARAMIA G., REA F., LA GRUTTA A., LONGO PAPADIA L. 639

2-(2,3-Dihydro-5-acetoxy-4,6,7-tribenzofuranyl)acetic acid (IRFI 016): A new antioxidant mucoactive drug
SCURI R., GIANNETTI P., PAESANO A. 649

Contents index (1990) 667

Author index (1990) 673